



ELITE GSS LTD
CONCRETE PRODUCTS

CONCRETE BARRIERS

Temporary Vertical Concrete Barriers (TVCBs)



max 2.5 tonnes

Specifications

Size: 3m [L] x 0.45m [W] x 0.8mm [H]

Weight: 2.5 tonnes

Material: 100% Concrete

Colour: Grey as standard

- ✓ Temporary fencing can be mounted onto the top of TVCBs
- ✓ Bolt together side-by-side to form a barge

Marquee & Temporary Structure Weights



max 500+ Kg

Specifications

Size: 1m [L] x 0.4m / 0.75m [W] x 0.55mm / 0.75m [H]

Weight: 500Kg / 1000Kg

Material: 100% Concrete

Colour: Grey as standard. Plain white PVC covers, ratchets, straps and a pump truck options available upon request.

- ✓ Secure structures on hard ground conditions
- ✓ Versatile and can improve site safety

Lego Block



max 2.4 tonnes

Specifications

Size: 1.6m / 1.2m / 0.8m [L] x 0.8m [W] x 0.8mm [H]
Other size available

Weight: 2.4 tonnes / 1.8 tonnes / 1.2 tonnes

Material: 100% Concrete

Colour: Grey as standard

- ✓ Site boundary protection or retaining wall
- ✓ Material bay storage, flood defence and more

CONCRETE BARRIERS

Combo Blocks



max 2.4 tonnes

Specifications

Size: 1.6m / 1.2m 0.8m [L] x 0.8m [W] x 0.8mm [H]
Other size available

Weight: 2.4 tonnes / 1.8 tonnes / 1.2 tonnes

Material: 100% Concrete

Colour: Grey as standard

- ✓ Easy to install and reposition
- ✓ Smaller variation of Lego Block for site boundary or material bay storage

Security/Ballast Block



max 2 tonnes

Specifications

Size: 1.225m [L] x 0.99m [W] x 0.75mm [H]

Weight: 2 tonnes

Material: 100% Concrete

Colour: Grey as standard

- ✓ Multi-use, such as vehicle test weight
- ✓ Carry slots for forklift truck

Jersey Barrier



max 1.45 tonnes

Specifications

Size: 2.5m [L] x 0.61m [W] x 0.81mm [H]

Weight: 1.45 tonnes

Material: 100% Concrete

Colour: Grey as standard

- ✓ Barrier interlocking system
- ✓ Carry slots for forklift truck

CONCRETE BARRIERS

Tall Barrier



max 2 tonnes

Specifications

Size: 2.5m [L] x 0.71m [W] x 0.9mm [H]

Weight: 2 tonnes

Material: 100% Concrete

Colour: Grey as standard

- ✓ Ergonomic style
- ✓ Carry slots for forklift truck

Kentledge Scaffold Block



max 1.15 tonnes

Specifications

Size: 1m [L] x 1m [W] x 0.5mm [H]

Weight: 1.15 tonnes

Material: 100% Concrete

Colour: Grey as standard

- ✓ Multi-use, such as vehicle test weight
- ✓ Carry slots for forklift truck

Boulders



max 1.45 tonnes

Specifications

Size: 2.5m [L] x 0.61m [W] x 0.81mm [H]

Weight: 1.45 tonnes

Material: 100% Concrete

Colour: Grey as standard

- ✓ Yorkstone rock
- ✓ Aesthetical alternative to look better in the landscape

VEHICLE BARRIERS

Pyramid Vehicle Restraint Barrier



2.5 tonnes

Specifications

Size: 2.5m [L] x 0.71m [W] x 0.9m [H]

Weight: 2.5 tonnes

Material: 100% Concrete

Colour: Grey as standard

- ✓ Barrier interlocking system
- ✓ Protect vital infrastructure or hostile vehicle mitigation

MASS (Multi Application Safety System) Barriers



60 Kg

Specifications

Size: 1500mm [L] x 500mm [W] x 420mm [H]

Weight: 60Kg

Material: Zinc galvanised steel

Colour: Red/white

- Improved public and workforce safety
- Vertical pins link barriers together

VEHICLE BARRIER GATES

Barrier Gate (Standard)



- ✓ Fits alongside any of the Concrete Barriers/Blocks
- ✓ Widths of 3.5m up to 4.5m, and steel gates are also available



Resistant



Multiple sizes



Barrier Gate (Premium)



- ✓ Double-stacked in a cradle on each gate post, giving a total ballast weight of 4800kg either side of the gate
- ✓ Fits road width of just greater than 6m, with an opening gate width of 4m between the posts



Resistant



Secure



High Impact

Barrier Gate with additional Height Restriction



- ✓ Double-stacked in a cradle on each gate post, along with third post which allows one or both gates to be locked in the open position
- ✓ Additional yellow-painted height restriction barrier which provides up to 2.1m of clearance underneath, filtering vehicle access when required.



Resistant



Height restriction



High Impact



Need to Natter?

-  News, insights and events
-  Product reviews and offers, answered questions and discussion tips
-  Shared business and industry information
-  'How to' use our products, installations and vlogs

Contact Us

-  0800 622 6838
-  elite-gss.com
-  sales@elite-gss.com